CONTENTS - VOLUME X, 1990

No. 1

Role of lymphocyte activation by substance P in rheumatoid arthritis.
YOKOYAMA M.M., FUJIMOTO K. 1

Increased intra-articular substance P and prostaglandin E_2 following injection of interleukin-1 in rabbits.
O'BYRNE E.M., BLANCUZZI V.J., WILSON D.E., WONG M., PEPPARD J., SIMKE J.P., JENG A.Y. 11

Proliferation of ω_3 binding sites in the immune organs and leg infiltrate of rats with adjuvant induced arthritis.
SCATTON B., BENAVIDES J., DUBOIS A., BOURDIOL F. 15

Effects of associated cytokines (IL-1, TNF-α, IFN-γ and TGF-β) on collagen and glycosaminoglycan production by cultured human synovial cells.
DAIREAUX M., REDINI F., LOYAU G., PUJOL J-P. 21

The protective effects of cell-free fluid exudate on cartilage degradation *in vitro*.
MOORE A.R., DESA F.M., HANAHOE T.H.P., COLVILLE-NASH P.R., CHANDER C.L., HOWAT D.W., WILLOUGHBY D.A. 33

Modification of D-galactosamine-induced liver damage in rats by intravenous injection of newly isolated intact splenic cells.
TAKAHASHI N., ISHIZUYA T. 39

Direct stimulation of superoxide output in neutrophils by lipid A of *Escherichia coli*.
TARNOK I., TARNOK Zs. 47

Respiratory-burst stimulants desensitize β-2 adrenoceptors on human polymorphonuclear leukocytes.
VAGO T., NORBIATO G., BALDI G., CHEBAT E., BERTORA P., BEVILACQUA M. 53

Role of purinergic system in tracheobronchial reactivity of healthy and bronchopathic subjects.
SUSANNA V., LOFFREDA A., MATERA M.G., SERVODIO R., FILIPPELLI A., SANTAGATA A., MONTANARO C., CARAPELLA N., MARMO E. 59

No. 2

Further characterization of PAF receptor and novel antagonists.
SHEN T.Y., HUSSAINI I. 63

New ligands for human C-reactive protein: calcium-dependent binding with ϵ-aminocaproic acid-agarose and calcium-independent binding with ω-aminohexyl-agarose.
KUWAJIMA S., KISHIDA T., NODA T., IZUMI Y., NAKA K., MATSUI T., OKUDA K. 71

Reduction of complement activation in rheumatoid arthritis by steroid treatment.
ERNST E., ESPERSEN G.T., ANDERSEN M.V. 77

Reactive oxygen species and hyaluronate in serum and synovial fluid in arthritis.
SAARI H., SORSA T., KONTTINEN Y.T. 81

Modulation of urokinase receptors on human synovial cells and osteoarthritic chondrocytes by diacetylrhein.
DEL ROSSO M., FIBBI G., MAGNELLI L., PUCCI M., DINI G., GRAPPONE C., CALDINI R., SERNI U., COLOMBO F., BORELLA F. 91

Nimesulide, indomethacin, BW 755 C, phenidon, mepacrin and nedocromil inhibit the activation of human and rat leucocytes.
WILHELMS O.-H., LINSSEN M.J., LIPPONER L., SEILNACHT W. 101

Inactivation of neutrophil-derived hypochlorous acid by nimesulide: a potential mechanism for the tissue protection during inflammation.
DALLEGRI F., PATRONE F., BALLESTRERO A., OTTONELLO L., FERRANDO F., SACCHETTI C. 107

Plasma fibronectin: a study of 340 assays.
RICHARD Ph., GALINIER-PUJOL A., BOTTI G., ROUX H. 113

Diabetic ulcer healing preparations from the skin of the Arabian Gulf catfish (*Arius bilineatus* Val.): a novel and effective treatment.
AL-HASSAN J.M. 121

No. 3

Coenzyme Q can control the efficiency of oxidative phosphorylation.
BATTINO M., FATO R., PARENTI-CASTELLI G., LENAZ G. 137

Coenzyme Q_{10}: blood levels and metabolic demand.
LITTARRU G.P., LIPPA S., ORADEI A., SERINO F. 145

Plasma and tissue concentrations of coenzyme Q_{10} in the rat after intravenous, oral and topical administrations.
SCALORI V., ALESSANDRI, M.G., GIOVANNINI L., BERTELLI A. 149

Coenzyme Q_{10}: clinical benefits with biochemical correlates suggesting a scientific breakthrough in the management of chronic heart failure.
MORTENSEN S. A., VADHANAVIKIT S., MURATSU K., FOLKERS K. 155

Pronounced increase of survival of patients with cardiomyopathy when treated with coenzyme Q_{10} and conventional therapy.
LANGSJOEN PER H., FOLKERS K., LYSON K., MURATSU K., LYSON T., LANGSJOEN PETER H. 163

A six-year clinical study of therapy of cardiomyopathy with coenzyme Q_{10}.
LANGSJOEN PER H., LANGSJOEN PETER H., FOLKERS K. 169

Coenzyme Q_{10} in dilated cardiomyopathy.
MANZOLI U., ROSSI E., LITTARRU G.P., FRUSTACI A., LIPPA S., ORADEI A., AURELI V. 173

Biochemical profile of vulnerable neurons in neurodegenerative disorders.
FARIELLO R.G. 179

Carnitine and coebzyme Q_{10}: biochemical properties and functions, synergism and complementary action.
BERTELLI A., RONCA G. 183

Protection of adenylate pool and energy charge by L-carnitine and coenzyme Q during energy depletion in rat heart slices.
CONTE A., PALMIERI L., RONCA G., GIOVANNINI L., BERTELLI A. 187

Protective synergic effect of coenzyme Q_{10} and carnitine on hyperbaric oxygen toxicity.
BERTELLI A., BERTELLI A.A.E., GIOVANNINI L., SPAGGIARI P. 193

Synergic and complementary effects of L-carnitine and coenzyme Q on long-chain fatty acid metabolism and on protection against anthracycline damage.
CONTE A., PALMIERI L., RONCA G., GIOVANNINI L., BERTELLI A. 197

No. 4

Balanced antiinflammation: the combined application of a PAF inhibitor and a cyclooxygenase inhibitor blocks the inflammatory take-off after burns.
BAUER J.A., HAFNER M., FRITZ H. 203

Evidence suggesting a role for platelet-activating factor (PAF) in experimental nephrotic syndrome.
EGIDO J., MAMPASO F., GÓMEZ-CHIARRI M., GONZÁLEZ E., ORTÍZ A., LERMA J.L., ROBLES A., BRAQUET P., HERNANDO L. 213

Differential inhibition of lipopolysaccharide-induced granulocyte aggregation and prostanoid production by emoxypin.
KUBATIEV A., TURGIEV A., SMIRNOV L., POMOYNETSKY V., DUMAEV K. 221

Comparative proliferation of non-rheumatoid and rheumatoid human synovial cells.
PONTEZIERE C., DESMOULINS D., AGNERAY J., EKINDJIAN O.G., CALS M.J. 229

Intraluminal release of PGE_2 due to gastric perfusion of urethane-anaesthetized rats with hydrochloric or taurocholic acid.
EVANGELISTA S., RENZI D., LIPPE I.TH., MANTELLINI P., GUZZI P., MAGGI C.A. 237

Therapeutic effectiveness and tolerance of 5-aminosalicylic acid in short term treatment of patients with ulcerative colitis at a low or medium phase of activity.
BRESCI G., CARRAI M., VENTURINI G., GAMBARDELLA L. 243

Liver triglyceride accumulation after chronic ethanol administration: a possible protective role of metadoxina and ubiquinone.
MARCHI S., POLLONI A., COSTA F., BELLINI M., BONIFAZI V., TUMINO E., GRASSI B., BERTELLI A., ROMANO M.R., DE BARTOLO G., MALTINTI G. 247

Anti-inflammatory properties of a preparation containing low doses of copper, gold and silver.
MOINY G., THUNUS L., DAUPHIN J.F., DEBY-DUPONT G., DEBY C. 251

No. 5

In-vitro preparation of experimental models of hepatitis with D-galactosamine and their modification by liver-repairing factors.
TAKAHASHI N., ISHIZUYA T., MORI N. 263

Biological activity of two photoactive benzocoumarins.
DIANZANI C., SILVESTRO L., VIANO I. 269

Effect of N-acetyl-aspartyl-glutamate (Naaga) on *in-vitro* leukotriene synthesis by macrophage cell line P388D1.
JAMBOU D., LAPALUS P. 273

Cholinergic muscarinic and nicotinic binding by human lymphocytes: differences between peripheral blood cells and cultivated cell lines.
GRĄBCZEWSKA E., LASKOWSKA-BOŻEK H., MAŚLIŃSKI W., RYŻEWSKI J. 281

Ultrastructural changes of human amniotic cells induced by natural human interferon-α.
NEUMARK T., PREMECZ GY., MARKOVITS A., NEUMÜLLER J., FERENCZ G., BAGI GY., FÖLDES I., EBERL R. 291

Bombesin-induced pancreatic secretion and growth in rats: effect of proglumide, spantide and panitidine.
SCARPIGNATO C., VARGA G., DOBRONYI I., PAPP M. 299

Tissue distribution of angiotensin converting enzyme and its inhibition by perinopril in pregnant rabbit and fetus.
MOULIN B., MORIN J.-P., SEURIN-TOUTAIN P., BORGHI H., FILLASTRE J.-P. 309

Evolution of superficial vein thrombosis treated with defibrotide: comparison with low dose subcutaneous heparin.
BELCARO G. 319

No. 6

Histo-chemical studies on the anti-ulcer effect of bamboo grass in rats.
OTANI K., YANAURA S., YUDA Y., KAWAOTO H., KAJITA T., HIRANO F., OSAWA F., INOUYE S. 319

Hyaluronic acid prevents oxygen free-radical damage to granulation tissue: a study in rats.
FOSCHI D., CASTOLDI L., RADAELLI E., ABELLI P., CALDERINI G., RASTRELLI A., MARISCOTTI C., MARAZZI M., TRABUCCHI E. 333

Induction of airway hyperresponsiveness in allergic rats.
SHISHIKURA T., YAMADA M., OGURO K., TAMAKI N., KOSUGI T. 341

Bleb formation in the renal epithelial cell line LLC-PK_1 exposed to N2-methyl-9-hydroxyellipticinium acetate (celiptium).
RAGUENEZ-VIOTTE G., FILLASTRE J.-P. 347

Protective action of coenzyme A on paracetamol-induced tissue depletion of glutathione.
BERTELLI A., BERTELLI A.A.E., GIOVANNINI L., MIAN M., SPAGGIARI P. 353

Hyperbaric oxygen- and ethanol-induced infiltration of rat hepatic triglycerides and the protective action of coenzyme A.
BERTELLI A., CERRATI A., GIOVANNINI L., MIAN M., SPAGGIARI P., BERTELLI A.A.E. 359

Alpha1-antitrypsin variants produced by recombinant DNA: differences in elastase inhibitory activity and resistance to oxidant agents.
LUISETTI M., POZZI E., DIOMEDE L., DONNINI M., PICCIONI P.D., BOLZONI G., PEONA V., SALMONA M. 363

Contents index (1990) 371

Author index (1990) 377